

Seagate Legacy Hard Disks

	Item Number	Description	Model	Interface	Form-Factor		MByte unformatted	MByte formatted	Shipment
▼ ST506									
		ST506	ST506	ST506/MFM	5,25	full-height	6,38	5	nQ80
▼ ST406									
		ST406	ST406	ST412/MFM	5,25	full-height	6,38	5	
▼ ST412									
		ST412	ST412	ST412/MFM	5,25	full-height	13	10	nQ81
▼ ST419									
		ST419	ST419	ST412/MFM	5,25	full-height	19	15	
▼ ST124									
	902031-999	ST124	ST124	ST412/MFM	3,5	half-height	25	21	
	902031-005	ST124	ST124	ST412/MFM	3,5	half-height	25	21	
	902031-888	ST124	ST124	ST412/MFM	3,5	half-height	25	21	
	911001-888	ST124	ST124CX	ST412/MFM	3,5	half-height	25	21	
	911001-999	ST124	ST124CX	ST412/MFM	3,5	half-height	25	21	
	902041-999	ST124	ST124PR	ST412/MFM	3,5	half-height	25	21	
	902041-888	ST124	ST124PR	ST412/MFM	3,5	half-height	25	21	
▼ ST125									
	902001-888	ST125	ST125-0	ST412/MFM	3,5	half-height	25	21	3Q87
	902001-999	ST125	ST125-0	ST412/MFM	3,5	half-height	25	21	3Q87
	902027-888	ST125	ST125-0PR	ST412/MFM	3,5	half-height	25	21	3Q87
	902027-999	ST125	ST125-0PR	ST412/MFM	3,5	half-height	25	21	3Q87
	902002-004	ST125	ST125-1	ST412/MFM	3,5	half-height	25	21	3Q87
	902002-102	ST125	ST125-1	ST412/MFM	3,5	half-height	25	21	3Q87
	902002-002	ST125	ST125-1	ST412/MFM	3,5	half-height	25	21	3Q87
	902002-999	ST125	ST125-1	ST412/MFM	3,5	half-height	25	21	3Q87
	902002-026	ST125	ST125-1	ST412/MFM	3,5	half-height	25	21	3Q87
	902002-028	ST125	ST125-1	ST412/MFM	3,5	half-height	25	21	3Q87
	902002-031	ST125	ST125-1	ST412/MFM	3,5	half-height	25	21	3Q87
	902002-888	ST125	ST125-1	ST412/MFM	3,5	half-height	25	21	3Q87
	902002-041	ST125	ST125-1	ST412/MFM	3,5	half-height	25	21	3Q87
	902002-053	ST125	ST125-1	ST412/MFM	3,5	half-height	25	21	3Q87
	902002-007	ST125	ST125-1	ST412/MFM	3,5	half-height	25	21	3Q87
	902002-105	ST125	ST125-1	ST412/MFM	3,5	half-height	25	21	3Q87
	902002-063	ST125	ST125-1	ST412/MFM	3,5	half-height	25	21	3Q87
	902002-003	ST125	ST125-1	ST412/MFM	3,5	half-height	25	21	3Q87
	902002-104	ST125	ST125-1	ST412/MFM	3,5	half-height	25	21	3Q87
	902033-888	ST125	ST125A-0	ST412/MFM	3,5	half-height	25	21	3Q87
	902033-999	ST125	ST125A-0		3,5	half-height			
	902037-888	ST125	ST125A-1		3,5	half-height			
	902037-999	ST125	ST125A-1		3,5	half-height			
	902034-012	ST125	ST125L	ST412/MFM	3,5	half-height			
	902034-888	ST125	ST125L		3,5	half-height			
	902034-999	ST125	ST125L		3,5	half-height			
	910001-999	ST125	ST125N W/ST01	SCSI	3,5	half-height			
	910001-888	ST125	ST125N W/ST01	SCSI	3,5	half-height			
	902003-888	ST125	ST125N-0	SCSI	3,5	half-height			
	902003-999	ST125	ST125N-0	SCSI	3,5	half-height			

	Item Number	Description	Model	Interface	Form-Factor		MByte unformatted	MByte formatted	Shipment
	902024-999	ST125	ST125N-0PR	SCSI	3,5	half-height			
	902024-888	ST125	ST125N-0PR	SCSI	3,5	half-height			
	902004-999	ST125	ST125N-1	SCSI	3,5	half-height			
	902004-026	ST125	ST125N-1	SCSI	3,5	half-height			
	902004-004	ST125	ST125N-1	SCSI	3,5	half-height			
	902004-020	ST125	ST125N-1	SCSI	3,5	half-height			
	902004-005	ST125	ST125N-1	SCSI	3,5	half-height			
	902004-888	ST125	ST125N-1	SCSI	3,5	half-height			
	902005-999	ST125	ST125R-0PR	ST412/RLL	3,5	half-height			
	902005-888	ST125	ST125R-0PR	ST412/RLL	3,5	half-height			
	902044-012	ST125	ST125R-1PR	ST412/RLL	3,5	half-height			
▼ ST138									
	902006-888	ST138	ST138-0	ST412/MFM	3,5	half-height	38		3Q87
	902006-999	ST138	ST138-0	ST412/MFM	3,5	half-height	38		3Q87
	902030-999	ST138	ST138-0PR	ST412/MFM	3,5	half-height	38		
	902030-888	ST138	ST138-0PR	ST412/MFM	3,5	half-height	38		
	902007-024	ST138	ST138-1	ST412/MFM	3,5	half-height	38		
	902007-001	ST138	ST138-1	ST412/MFM	3,5	half-height	38		
	902007-104	ST138	ST138-1	ST412/MFM	3,5	half-height	38		
	902007-004	ST138	ST138-1	ST412/MFM	3,5	half-height	38		
	902007-006	ST138	ST138-1	ST412/MFM	3,5	half-height	38		
	902007-019	ST138	ST138-1	ST412/MFM	3,5	half-height	38		
	902007-888	ST138	ST138-1	ST412/MFM	3,5	half-height	38		
	902007-002	ST138	ST138-1	ST412/MFM	3,5	half-height	38		
	902007-999	ST138	ST138-1	ST412/MFM	3,5	half-height	38		
	940016-030	ST138	ST1381N	SCSI	3,5	half-height	32		
	902039-888	ST138	ST138A-0		3,5	half-height			
	902039-999	ST138	ST138A-0		3,5	half-height			
	902038-999	ST138	ST138A-1		3,5	half-height			
	902038-004	ST138	ST138A-1		3,5	half-height			
	902038-888	ST138	ST138A-1		3,5	half-height			
	902022-012	ST138	ST138I		3,5	half-height			
	902022-999	ST138	ST138I		3,5	half-height			
	902022-888	ST138	ST138I		3,5	half-height			
	902022-013	ST138	ST138I		3,5	half-height			
	902025-888	ST138	ST138L		3,5	half-height			
	902025-012	ST138	ST138L		3,5	half-height			
	902025-999	ST138	ST138L		3,5	half-height			
	902008-999	ST138	ST138N-0	SCSI	3,5	half-height	32		3Q87
	902008-888	ST138	ST138N-0	SCSI	3,5	half-height	32		3Q87
	902009-888	ST138	ST138N-0PR	SCSI	3,5	half-height	32		
	902009-999	ST138	ST138N-0PR	SCSI	3,5	half-height	32		
	902010-888	ST138	ST138N-1	SCSI	3,5	half-height	32		
	902010-004	ST138	ST138N-1	SCSI	3,5	half-height	32		
	902010-002	ST138	ST138N-1	SCSI	3,5	half-height	32		
	902010-999	ST138	ST138N-1	SCSI	3,5	half-height	32		
	902010-024	ST138	ST138N-1	SCSI	3,5	half-height	32		
	902029-999	ST138	ST138N-1PR	SCSI	3,5	half-height	32		
	902029-888	ST138	ST138N-1PR	SCSI	3,5	half-height	32		

	Item Number	Description	Model	Interface	Form-Factor		MByte unformatted	MByte formatted	Shipment
	902011-888	ST138	ST138R-0	ST412/RLL	3,5	half-height	38		
	902011-999	ST138	ST138R-0	ST412/RLL	3,5	half-height	38		
	902012-999	ST138	ST138R-0PR	ST412/RLL	3,5	half-height	38		
	902012-888	ST138	ST138R-0PR	ST412/RLL	3,5	half-height	38		
	902013-999	ST138	ST138R-1	ST412/RLL	3,5	half-height	38		
	902013-888	ST138	ST138R-1	ST412/RLL	3,5	half-height	38		
	902035-888	ST138	ST138R-1PR	ST412/RLL	3,5	half-height	38		
	902035-999	ST138	ST138R-1PR	ST412/RLL	3,5	half-height	38		
▼ ST157									
	902040-888	ST157	ST157A-0		3,5	half-height			
	902040-999	ST157	ST157A-0		3,5	half-height			
	902020-304	ST157	ST157A-1		3,5	half-height			
	902020-888	ST157	ST157A-1		3,5	half-height			
	902020-305	ST157	ST157A-1		3,5	half-height			
	902020-999	ST157	ST157A-1		3,5	half-height			
	902020-005	ST157	ST157A-1		3,5	half-height			
	902020-004	ST157	ST157A-1		3,5	half-height			
	902020-206	ST157	ST157A-1		3,5	half-height			
	902028-012	ST157	ST157L		3,5	half-height			
	910002-999	ST157	ST157N W/ST01	SCSI	3,5	half-height			
	910002-888	ST157	ST157N W/ST01	SCSI	3,5	half-height			
	902014-888	ST157	ST157N-0	SCSI	3,5	half-height			3Q87
	902014-999	ST157	ST157N-0	SCSI	3,5	half-height			3Q87
	902015-999	ST157	ST157N-0PR	SCSI	3,5	half-height			
	902015-888	ST157	ST157N-0PR	SCSI	3,5	half-height			
	902016-020	ST157	ST157N-1	SCSI	3,5	half-height			
	902016-028	ST157	ST157N-1	SCSI	3,5	half-height			
	902016-051	ST157	ST157N-1	SCSI	3,5	half-height			
	902016-002	ST157	ST157N-1	SCSI	3,5	half-height			
	902016-018	ST157	ST157N-1	SCSI	3,5	half-height			
	902016-041	ST157	ST157N-1	SCSI	3,5	half-height			
	902016-888	ST157	ST157N-1	SCSI	3,5	half-height			
	902016-056	ST157	ST157N-1	SCSI	3,5	half-height			
	902016-052	ST157	ST157N-1	SCSI	3,5	half-height			
	902016-054	ST157	ST157N-1	SCSI	3,5	half-height			
	902016-004	ST157	ST157N-1	SCSI	3,5	half-height			
	902016-036	ST157	ST157N-1	SCSI	3,5	half-height			
	902016-999	ST157	ST157N-1	SCSI	3,5	half-height			
	902016-005	ST157	ST157N-1	SCSI	3,5	half-height			
	902016-006	ST157	ST157N-1	SCSI	3,5	half-height			
	902032-999	ST157	ST157N-1PR	SCSI	3,5	half-height			
	902032-888	ST157	ST157N-1PR	SCSI	3,5	half-height			
	902032-004	ST157	ST157N-1PR	SCSI	3,5	half-height			
	902017-888	ST157	ST157R-0	ST412/RLL	3,5	half-height			3Q87
	902017-999	ST157	ST157R-0	ST412/RLL	3,5	half-height			3Q87
	902018-999	ST157	ST157R-0PR	ST412/RLL	3,5	half-height			
	902018-888	ST157	ST157R-0PR	ST412/RLL	3,5	half-height			
	902019-012	ST157	ST157R-1	ST412/RLL	3,5	half-height			
	902019-888	ST157	ST157R-1	ST412/RLL	3,5	half-height			

	Item Number	Description	Model	Interface	Form-Factor		MByte unformatted	MByte formatted	Shipment
	902019-005	ST157	ST157R-1	ST412/RLL	3,5	half-height			
	902019-999	ST157	ST157R-1	ST412/RLL	3,5	half-height			
	902019-104	ST157	ST157R-1	ST412/RLL	3,5	half-height			
	902019-002	ST157	ST157R-1	ST412/RLL	3,5	half-height			
	902019-004	ST157	ST157R-1	ST412/RLL	3,5	half-height			
	902036-999	ST157	ST157R-1PR	ST412/RLL	3,5	half-height			
	902036-888	ST157	ST157R-1PR	ST412/RLL	3,5	half-height			
▼ ST212									
		ST212	ST212	ST412/MFM	5,25	half-height	13	10	4Q84
▼ ST213									
		ST213	ST213	ST412/MFM	5,25	half-height	13	10	4Q85
▼ ST225									
	904002-028	ST225	ST225	ST412/MFM	5,25	half-height	25		4Q84
	904002-116	ST225	ST225	ST412/MFM	5,25	half-height	25	21	4Q84
	904002-042	ST225	ST225	ST412/MFM	5,25	half-height	25	21	4Q84
	904002-014	ST225	ST225	ST412/MFM	5,25	half-height	25	21	4Q84
	904002-114	ST225	ST225	ST412/MFM	5,25	half-height	25	21	4Q84
	904002-085	ST225	ST225	ST412/MFM	5,25	half-height	25	21	4Q84
	904002-067	ST225	ST225	ST412/MFM	5,25	half-height	25	21	4Q84
	904002-888	ST225	ST225	ST412/MFM	5,25	half-height	25	21	4Q84
	904002-026	ST225	ST225	ST412/MFM	5,25	half-height	25	21	4Q84
	904002-999	ST225	ST225	ST412/MFM	5,25	half-height	25	21	4Q84
	904002-001	ST225	ST225	ST412/MFM	5,25	half-height	25	21	4Q84
	904002-002	ST225	ST225	ST412/MFM	5,25	half-height	21	21	4Q84
	904003-999	ST225	ST225N	SCSI	5,25	half-height			4Q85
	904003-888	ST225	ST225N	SCSI	5,25	half-height			4Q85
	904005-999	ST225	ST225N-1	SCSI	5,25	half-height			
	904005-888	ST225	ST225N-1	SCSI	5,25	half-height			
	904012-999	ST225	ST225N-1PR	SCSI	5,25	half-height			
	904012-888	ST225	ST225N-1PR	SCSI	5,25	half-height			
	904004-888	ST225	ST225NPR	SCSI	5,25	half-height			
	904004-999	ST225	ST225NPR	SCSI	5,25	half-height			
	904010-999	ST225	ST225PR	ST412/MFM	5,25	half-height	25	21	
	904010-888	ST225	ST225PR	ST412/MFM	5,25	half-height	25	21	
	904010-002	ST225	ST225PR	ST412/MFM	5,25	half-height	25	21	
	904013-888	ST225	ST225R	ST412/RLL	5,25	half-height			
	904013-999	ST225	ST225R	ST412/RLL	5,25	half-height			
	904006-888	ST225	ST225RPR	ST412/RLL	5,25	half-height			
	904006-999	ST225	ST225RPR	ST412/RLL	5,25	half-height			
	904006-001	ST225	ST225RPR	ST412/RLL	5,25	half-height			
▼ ST238									
	904007-888	ST238	ST238R	ST412/RLL	5,25	half-height			1Q86
	904007-002	ST238	ST238R	ST412/RLL	5,25	half-height			1Q86
	904007-999	ST238	ST238R	ST412/RLL	5,25	half-height			1Q86
	904008-888	ST238	ST238RPR	ST412/RLL	5,25	half-height			
	904008-999	ST238	ST238RPR	ST412/RLL	5,25	half-height			
	904008-002	ST238	ST238RPR	ST412/RLL	5,25	half-height			
▼ ST250									

	Item Number	Description	Model	Interface	Form-Factor		MByte unformatted	MByte formatted	Shipment
	904011-888	ST250	ST250R	ST412/RLL	5,25	half-height			3Q88
	904011-999	ST250	ST250R	ST412/RLL	5,25	half-height			3Q88
	904009-002	ST250	ST250RPR	ST412/RLL	5,25	half-height			
	904009-999	ST250	ST250RPR	ST412/RLL	5,25	half-height			
	904009-888	ST250	ST250RPR	ST412/RLL	5,25	half-height			
▼ ST251									
	905001-888	ST251	ST251-0	ST412/MFM	5,25	half-height			2Q86
	905001-999	ST251	ST251-0	ST412/MFM	5,25	half-height			2Q86
	905002-001	ST251	ST251-1	ST412/MFM	5,25	half-height			
	905002-999	ST251	ST251-1	ST412/MFM	5,25	half-height			
	905002-016	ST251	ST251-1	ST412/MFM	5,25	half-height			
	905002-007	ST251	ST251-1	ST412/MFM	5,25	half-height			
	905002-058	ST251	ST251-1	ST412/MFM	5,25	half-height			
	905002-025	ST251	ST251-1	ST412/MFM	5,25	half-height			
	905002-005	ST251	ST251-1	ST412/MFM	5,25	half-height			
	905002-004	ST251	ST251-1	ST412/MFM	5,25	half-height			
	905002-888	ST251	ST251-1	ST412/MFM	5,25	half-height			
	905002-055	ST251	ST251-1	ST412/MFM	5,25	half-height			
	905002-008	ST251	ST251-1	ST412/MFM	5,25	half-height			
	905002-014	ST251	ST251-1	ST412/MFM	5,25	half-height			
	905002-002	ST251	ST251-1	ST412/MFM	5,25	half-height			
	905002-024	ST251	ST251-1	ST412/MFM	5,25	half-height			
	905002-006	ST251	ST251-1	ST412/MFM	5,25	half-height			
	905002-053	ST251	ST251-1	ST412/MFM	5,25	half-height			
	905003-999	ST251	ST251N-0	SCSI	5,25	half-height			1Q87
	905003-888	ST251	ST251N-0	SCSI	5,25	half-height			1Q87
	905004-999	ST251	ST251N-0PR	SCSI	5,25	half-height			
	905004-888	ST251	ST251N-0PR	SCSI	5,25	half-height			
	905005-888	ST251	ST251N-1	SCSI	5,25	half-height			
	905005-999	ST251	ST251N-1	SCSI	5,25	half-height			
	905006-888	ST251	ST251N-1PR	SCSI	5,25	half-height			
	905006-999	ST251	ST251N-1PR	SCSI	5,25	half-height			
▼ ST277									
	905007-999	ST277	ST277N-0	SCSI	5,25	half-height			1Q87
	905007-888	ST277	ST277N-0	SCSI	5,25	half-height			1Q87
	905008-999	ST277	ST277N-0PR	SCSI	5,25	half-height			
	905008-888	ST277	ST277N-0PR	SCSI	5,25	half-height			
	905009-999	ST277	ST277N-1	SCSI	5,25	half-height			
	905009-888	ST277	ST277N-1	SCSI	5,25	half-height			
	905010-999	ST277	ST277N-1PR	SCSI	5,25	half-height			
	905010-888	ST277	ST277N-1PR	SCSI	5,25	half-height			
	905017-888	ST277	ST277R	ST412/RLL	5,25	half-height			3Q86
	905017-999	ST277	ST277R	ST412/RLL	5,25	half-height			3Q86
	905011-999	ST277	ST277R-0	ST412/RLL	5,25	half-height			
	905011-888	ST277	ST277R-0	ST412/RLL	5,25	half-height			
	905012-999	ST277	ST277R-0PR	ST412/RLL	5,25	half-height			
	905012-888	ST277	ST277R-0PR	ST412/RLL	5,25	half-height			
	905013-888	ST277	ST277R-1	ST412/RLL	5,25	half-height			
	905013-999	ST277	ST277R-1	ST412/RLL	5,25	half-height			

	Item Number	Description	Model	Interface	Form-Factor		MByte unformatted	MByte formatted	Shipment
	905020-999	ST277	ST277R-1PR	ST412/RLL	5,25	half-height			
	905020-012	ST277	ST277R-1PR	ST412/RLL	5,25	half-height			
	905020-888	ST277	ST277R-1PR	ST412/RLL	5,25	half-height			
▼ ST296									
	905014-013	ST296	ST296N	SCSI	5,25	half-height			4Q87
	905014-888	ST296	ST296N	SCSI	5,25	half-height			4Q87
	905014-021	ST296	ST296N	SCSI	5,25	half-height			4Q87
	905014-999	ST296	ST296N	SCSI	5,25	half-height			4Q87
	905015-002	ST296	ST296NPR	SCSI	5,25	half-height			
	905015-888	ST296	ST296NPR	SCSI	5,25	half-height			
	905015-999	ST296	ST296NPR	SCSI	5,25	half-height			
▼ ST4026									
	906001-999	ST4026	ST4026B		5,25	full-height	25	21	4Q84
	906001-888	ST4026	ST4026B		5,25	full-height	25	21	4Q84
▼ ST4038									
	906002-888	ST4038	ST4038	ST412/MFM	5,25	full-height	38	31	1Q85
	906002-999	ST4038	ST4038	ST412/MFM	5,25	full-height	38	31	1Q85
▼ ST4051									
		ST4051	ST4051	ST412/MFM	5,25	full-height			1Q85
▼ ST4053									
	907002-002	ST4053	ST4053	ST412/MFM	5,25	full-height	53	45	1Q87
	907002-001	ST4053	ST4053	ST412/MFM	5,25	full-height	53	45	1Q87
	907002-999	ST4053	ST4053	ST412/MFM	5,25	full-height	53	45	1Q87
	907002-888	ST4053	ST4053	ST412/MFM	5,25	full-height	53	45	1Q87
▼ ST4096									
	907003-001	ST4096	ST4096	ST412/MFM	5,25	full-height	96	80	1Q86
	907003-999	ST4096	ST4096	ST412/MFM	5,25	full-height	96	80	1Q86
	907003-028	ST4096	ST4096	ST412/MFM	5,25	full-height	96	80	1Q86
	907003-003	ST4096	ST4096	ST412/MFM	5,25	full-height	96	80	1Q86
	907003-002	ST4096	ST4096	ST412/MFM	5,25	full-height	96	80	1Q86
	907003-888	ST4096	ST4096	ST412/MFM	5,25	full-height	96	80	1Q86
▼ ST4144									
	907004-999	ST4144	ST4144R	ST412/RLL	5,25	full-height	144	123	3Q87
	907004-003	ST4144	ST4144R	ST412/RLL	5,25	full-height	144	123	3Q87
	907004-001	ST4144	ST4144R	ST412/RLL	5,25	full-height	144	123	3Q87
	907004-888	ST4144	ST4144R	ST412/RLL	5,25	full-height	144	123	3Q87
	907005-888	ST4144	ST4144RPR	ST412/RLL	5,25	full-height	144	123	
	907005-999	ST4144	ST4144RPR	ST412/RLL	5,25	full-height	144	123	
	907005-001	ST4144	ST4144RPR	ST412/RLL	5,25	full-height	144	123	